Saving and Loading Customer Keys Database

Keys can be saved in the 3D Pro software for later use. Say, when a customer locks their keys in their car or lost their keys you would be able to load keys you saved from the 3D Pro software to cut and deliver to the customer.

The Customer Keys Database does not come installed with the main 3D Pro software and is downloaded and installed separately. The Customer Keys Database is stored in the "C:\Laser Key Products" folder on computer running the machine. This file must be backed up periodically to prevent data loss.

Backing up the Customer Keys Database:

Go to the "C:\Laser Key Products" folder and copy the "Customers.mdb" to a USB Drive or Online Backup.

Restoring the Customer Keys Database:

Copy the backed up "Customers.mdb" from the USB Drive or Online Backup to the "C:\Laser Key Products" folder.

Installing the Customer Keys Database:

Go to the downloads section for the key machine at LASERKEYPRODUCTS.COM and download the Customer Keys Database and install once finished downloading. This installation will place a file labeled "Customers.mdb" into the "C:\Laser Key Products" folder.

Saving Keys:

Select a key as normal and fill in the cuts by using a code, tracing a key, or entering the cuts manually.

Then click File and Save Key.

File | Operations | Help

Edit
Load Key
Save Key
Setup
Exit   F4

Correct Key Type

/Manufacturer | Search

rer:

Select Model:

COBALT

Select Year:

2006

Enter Key Code (optional):

g0001   Find

Show Key Information

Step 1: Add or Select Customer

ID:		Reset
Last Name:	Bob	
First Name:	Grey	
Company:	Radar Lock	
Address Line 1:	783 Egret Rd	
Address Line 2:		
City:	Salami	
State:	Montana	
Zip Code:	32908	
Day Time Phone:	246 135 3579	
Evening Phone:	421 643 8731	
Mobile:	907 608 8835	

Add   Delete   Edit   Search

Enter the available customer data into "Step 1:" on the left side on the Customer Keys window.
Leave ID blank, this is used by the program.

Click "Add" and another button will appear labeled "Done" click it to finish adding the customer.

The ID will be generated by and can be used to search for this customer when loading a key.

Step 2: Save or Load Key

				15	0	0
				14	0	0
				13	0	0
				12	0	0
				11	0	0
				10	1	0

Next, on the right side on the customer keys window click the "Add" then "Done" buttons to add the key to the selected customer.

DSD: 141

Key ID:

Key Blank:

Manufacturer: CHEVROLET

Model: COBALT

Year: 2006

Code: g0001

9	1	0
8	2	0
7	3	0
6	5	0
5	4	0
4	2	0
3	3	0
2	2	0
1	2	0
	A	B

Add   **Delete**   **Edit**

Load Key

Loading customers and their keys:

To load a previously saved key click "File" and "Load Key"

File   Operations   Help

Edit

Load Key

Save Key

Setup

Exit   F4

Correct Key Type

/Manufacturer | Search

rer:

Select Model:

Select Year:

Enter Key Code (optional):

Find

Show Key Information

Step 1: Add or Select Customer

ID:	[_____] Reset
Last Name:	bob
First Name:	[_____]
Company:	[_____]
Address Line 1:	[_____]
Address Line 2:	[_____]
City:	[_____]
State:	[_____ ▼]
Zip Code:	[_____]
Day Time Phone:	[__] [__] [__]
Evening Phone:	[__] [__] [__]
Mobile:	[__] [__] [__]

Add   Delete   Edit   Search

```
8;bob;fragle;;;;;;;;;;
9;bob;juble;Crud Mud;739 Glib;;Slice;Missouri;23132;23
10;bob;tucker;LL Bean;980 Reinhertz;;Hulagurl;Illinois;3
11;bob;tucker;LL Bean;980 Reinhertz;;Hulagurl;Illinois;3
12;bob;asdfs;;;;;;;;;;
```

Type a search term into any of the customer data fields and click the "Search" button.

All fields are searchable including the generated ID.

Click the requested customer from the search results box at the bottom of the customer information box.

After selecting a customer, the keys box will show keys that are saved to the selected customer. Click on the key that you want to load.

Step 2: Save or Load Key

```
45;141;;CHEVROLET;COBALT;2006;g0001
    45;141;;CHEVROLET;COBALT;2006;g0001
```

DSD:	141
Key ID:	[_____]
Key Blank:	[_____]
Manufacturer:	CHEVROLET
Model:	COBALT
Year:	2006
Code:	g0001

Add   Delete   Edit

	A	B
15	0	0
14	0	0
13	0	0
12	0	0
11	0	0
10	1	0
9	1	0
8	2	0
7	3	0
6	5	0
5	4	0
4	2	0
3	3	0
2	2	0
1	2	0

Load Key

Then click the "Load Key" button at the bottom.

This key will then become selected in the main part of the 3D Pro software with the cuts filled ready to cut. Load the key blank as instructed in Step 2 of the 3D Pro software and cut the key.